



North Carolina Department of Environment and Natural Resources

Division of Air Quality
Michael F. Easley, Governor

William G. Ross, Jr., Secretary
B. Keith Overcash, P.E., Director

(DRAFT) XXX xx, 2006

Mr. Darren Pruitt
Operations Manager
Colonial Pipeline Company
411 Gallimore Dairy Road
Greensboro, North Carolina 27409

Dear Mr. Gross:

SUBJECT: Air Quality Permit No. 02939T20
Facility ID: 04/41/00272
Colonial Pipeline Company
Greensboro
Guilford County
Fee Class: Title V

In accordance with your completed Air Quality Permit Application for a renewal June 6, 2006, we are forwarding herewith Air Quality Permit No. **02939T20** to Colonial Pipeline Company, 411 Gallimore Dairy Road, Greensboro, North Carolina authorizing the operation, as outlined in Part I and the construction, as outlined in Part II of the emission source(s) and associated air pollution control device(s) specified herein. Additionally, any emissions activities determined from your Air Quality Permit Application as being insignificant per 15A North Carolina Administrative Code 2Q .0503 have been listed for informational purposes as an "ATTACHMENT." Please note the requirements for the annual compliance certification are contained in General Condition P in Section 3 of Part I. **The current owner is responsible for submitting a compliance certification for the entire year regardless of who owned the facility during the year.**

As the designated responsible official it is your responsibility to review, understand, and abide by all of the terms and conditions of the attached permit. It is also your responsibility to ensure that any person who operates any emission source and associated air pollution control device subject to any term or condition of the attached permit reviews, understands, and abides by the condition(s) of the attached permit that are applicable to that particular emission source.

If any parts, requirements, or limitations contained in this Air Quality Permit are unacceptable to you, you have the right to request a formal adjudicatory hearing within 30 days following receipt of this permit, identifying the specific issues to be contested. This hearing request must be in the form of a written petition, conforming to NCGS (North Carolina General Statutes) 150B-23, and filed with **both** the Office of Administrative Hearings, 6714 Mail Service Center, Raleigh, North Carolina 27699-6714 and the Division of Air Quality, Permitting Section, 1641 Mail Service Center, Raleigh, North Carolina

Mr. Darren Pruitt

Permitting Section
1641 Mail Service Center, Raleigh, North Carolina 27699-1641
2728 Capital Blvd., Raleigh, North Carolina 27604
Phone: 919-715-6235 / FAX 919-733-5317 / Internet: www.ncair.org
An Equal Opportunity/Affirmative Action Employer - 50% Recycled/10% Post Consumer Paper

One
North Carolina
Naturally

27699-1641. The form for requesting a formal adjudicatory hearing may be obtained upon request from the Office of Administrative Hearings. Please note that this permit will be satyed in its entirety upon receipt of the request for a hearing Unless a request for a hearing is made pursuant to NCGS 150B-23, this Air Quality Permit shall be final and binding 30 days after issuance.

You may request modification of your Air Quality Permit through informal means pursuant to NCGS 150B-22. This request must be submitted in writing to the Director and must identify the specific provisions or issues for which the modification is sought. Please note that this Air Quality Permit will become final and binding regardless of a request for informal modification unless a request for a hearing is also made under NCGS 150B-23.

The construction of new air pollution emission source(s) and associated air pollution control device(s), or modifications to the emission source(s) and air pollution control device(s) described in this permit must be covered under an Air Quality Permit issued by the Division of Air Quality prior to construction unless the Permittee has fulfilled the requirements of GS 143-215-108A(b) and received written approval from the Director of the Division of Air Quality to commence construction. Failure to receive an Air Quality Permit or written approval prior to commencing construction is a violation of GS 143-215.108A and may subject the Permittee to civil or criminal penalties as described in GS 143-215.114A and 143-215.114B.

This Air Quality Permit shall be effective from XXX xx, 2006 until XXX xx, 2011, is nontransferable to future owners and operators, and shall be subject to the conditions and limitations as specified therein.

Should you have any questions concerning this matter, please contact Gautam Patnaik at (919) 715-6246.

Sincerely yours,

Donald D. Redmond, Jr.
Acting Chief

Enclosure

c: Gregg Worley, EPA Region 4 with review
Winston-Salem Regional Office
Central Files

ATTACHMENT to Permit No02939T20

The following table describes the modifications to the current permit as part of the modification process

Page(s)	Section	Description of Change(s)
	Insignificant Activities list	added two additional fuel oil tanks (I855) and (I857)
page 9	General Conditions	The general conditions were updated

Attachment: Insignificant Activities

Emission Source Description	Insignificant Regulation
Lab equipment/sample houses (product quality)	15A NCAC 2Q .0503(8)
landfarm	15A NCAC 2Q .0503(8)
spray irrigation system - dual air stripper	15A NCAC 2Q .0503(8)
aerated lagoon	15A NCAC 2Q .0503(8)
sting water tanks	15A NCAC 2Q .0503(8)
sumps	15A NCAC 2Q .0503(8)
oil/water separators	15A NCAC 2Q .0503(8)
pig trap	15A NCAC 2Q .0503(8)
emergency generators (three 5000 kV, each)	15A NCAC 2Q .0503(8)
contractor equipment (temporary)	15A NCAC 2Q .0503(8)
tank painting	15A NCAC 2Q .0503(8)
fire training	15A NCAC 2Q .0503(8)
propane tanks (pressurized)	15A NCAC 2Q .0503(8)
diesel tank for vehicle refueling (500 gal)	15A NCAC 2Q .0503(8)
red dye tank	15A NCAC 2Q .0503(8)
filter draining for line displacers (pigs, spheres)	15A NCAC 2Q .0503(8)
tank cleaning	15A NCAC 2Q .0503(8)
fuel oil tank (I855)	15A NCAC 2Q .0503(8)
fuel oil tank (I857)	15A NCAC 2Q .0503(8)

State of North Carolina,
Department of Environment,
and Natural Resources



Division of Air Quality

AIR QUALITY PERMIT

Permit No.	Replaces Permit No.(s)	Effective Date	Expiration Date
02939T20	02939T19	XXX xx, 2006	XXX xx, 2011

Until such time as this permit expires or is modified or revoked, the below named Permittee is authorized to operate, as outlined in Part I, and to construct and operate, as outlined in Part II, the emission source(s) and associated air pollution control device(s) specified herein, in accordance with the terms, conditions, and limitations within this permit. This permit is issued under the provisions of Article 21B of Chapter 143, General Statutes of North Carolina as amended, and Title 15A North Carolina Administrative Codes (15A NCAC), Subchapters 2D and 2Q, and other applicable Laws.

Pursuant to Title 15A NCAC, Subchapter 2Q, the Permittee shall not construct, operate, or modify any emission source(s) or air pollution control device(s) without having first submitted a complete Air Quality Permit Application to the permitting authority and received an Air Quality Permit, except as provided in this permit.

Permittee:

Colonial Pipeline Company

Facility ID:

04/41/00272

Facility Site Location:

411 Gallimore Dairy Road

City, County, State, Zip:

Greensboro, Guilford County, North Carolina 27409

Mailing Address:

Post Office Box 760

City, State, Zip:

Greensboro, North Carolina 27409

Application Number:

4100272.05A

Complete Application Date:

June 6, 2006

Renewal Application Due Date:

XXX xx, 2010

Primary SIC Code:

4613

Division of Air Quality,

Winston-Salem Regional Office

Regional Office Address:

585 Waughtown Street

Winston-Salem, North Carolina 27107

Permit issued this the xxnd day of XXX, 2006

Donald D. Redmond, Jr., Acting Chief

By Authority of the Environmental Management Commission

Table Of Contents

PART I -

SECTION 1: PERMITTED EMISSION SOURCE(S) AND ASSOCIATED
AIR POLLUTION CONTROL DEVICE(S) AND APPURTENANCES

SECTION 2: SPECIFIC LIMITATIONS AND CONDITIONS

2.1- Multiple Emission Source(s) Specific Limitations and Conditions
(Including specific requirements, testing, monitoring, recordkeeping, and
reporting requirements)

SECTION 3: GENERAL PERMIT CONDITIONS

ATTACHMENT

List of Acronyms

PART II - This permit does not include a Part II.

PART I

The Division of Air Quality (DAQ), the United States Environmental Protection Agency (EPA), and citizens as defined under the Federal Clean Air Act have the authority to enforce the terms, conditions, and limitations contained in Part I of this permit unless otherwise specified.

Under Title 15A NCAC 2Q, the operation of emission source(s) and associated air pollution control device(s) and appurtenances listed in Part I of this permit is based on plans, specifications, operating parameters, and other information as submitted in the Air Quality Permit Application.

SECTION 1- PERMITTED EMISSION SOURCE(S) AND ASSOCIATED AIR POLLUTION CONTROL DEVICE(S) AND APPURTENANCES

The following table contains a summary of all permitted emission sources and associated air pollution control devices and appurtenances:

Emission Source ID No.	Emission Source Description	Tank Capacity (barrels)	Roof Description
810	gasoline storage tank	67,000	domed internal floating roof
811	gasoline storage tank	132,000	domed internal floating roof
812	gasoline storage tank	172,000	domed internal floating roof
813	gasoline storage tank	132,000	domed internal floating roof
814	gasoline storage tank	120,000	domed internal floating roof
815 - 817	gasoline storage tanks	150,000, each	domed internal floating roof, each
818	gasoline storage tank	120,000	domed internal floating roof
819 - 821	gasoline storage tanks	43,000, each	domed internal floating roof, each
822	gasoline storage tank	67,000	domed internal floating roof
823	gasoline storage tank	54,000	domed internal floating roof
824	gasoline storage tank	33,000	domed internal floating roof
825	gasoline storage tank	150,000	internal floating roof
826	gasoline storage tank	218,000	domed internal floating roof
830	gasoline storage tank	132,000	domed internal floating roof
831	gasoline storage tank	150,000	domed internal floating roof
832	gasoline storage tank	172,000	domed internal floating roof
833	gasoline storage tank	218,000	domed internal floating roof
834	gasoline storage tank	132,000	domed internal floating roof
835	gasoline storage tank	150,000	domed internal floating roof
836	gasoline storage tank	172,000	domed internal floating roof

837	gasoline storage tank	80,000	domed internal floating roof
838 - 839	gasoline storage tanks	96,000, each	domed internal floating roof, each
840	gasoline storage tank	67,000	domed internal floating roof
841	gasoline storage tank	24,000	domed internal floating roof
842	gasoline storage tank	43,000	domed internal floating roof
843 - 844	gasoline storage tanks	54,000, each	domed internal floating roof, each
845	gasoline storage tanks	67,000	domed internal floating roof
850*	distillate storage tanks	80,000	external floating roof
851*	distillate storage tanks	218,000	external floating roof
852*	distillate storage tanks	172,000	external floating roof
853*	distillate storage tanks	150,000	vertical fixed roof
854*	distillate storage tanks	172,000	vertical fixed roof
856*	distillate storage tanks	180,000	vertical fixed roof
860*	distillate storage tanks	132,000	vertical fixed roof
861*	distillate storage tanks	172,000	vertical fixed roof
862*	distillate storage tanks	67,000	vertical fixed roof
863-864	NSPS kerosene storage tanks	218,000 each	domed internal floating roof, each
870*	distillate storage tanks	80,000	vertical fixed roof
871 - 873*	distillate storage tanks	218,000, each	vertical fixed roof, each
874 - 876*	distillate storage tanks	150,000, each	vertical fixed roof, each
877*	distillate storage tanks	54,000	vertical fixed roof
878 - 879*	distillate storage tanks	43,000, each	vertical fixed roof, each
880 - 881*	distillate storage tanks	218,000, each	vertical fixed roof, each
882 - 883*	distillate storage tanks	120,000, each	vertical fixed roof, each
885 - 896	utility storage tanks	5000, each	internal floating roof, each
897	transmix storage tank	33,000	internal floating roof
898	transmix storage tank	33,000	domed internal floating roof
ES-REM *	remediation systems (groundwater/soil) equipped with a thermal oxidizer	n/a	n/a

*sources with no applicable requirements

SECTION 2 - SPECIFIC LIMITATIONS AND CONDITIONS

2.1- Multiple Emission Source(s) Specific Limitations and Conditions

A. (2D .0925 PETROLEUM LIQUID STORAGE IN FIXED ROOF TANKS)

Fifty seven above ground internal floating roof gasoline storage tanks (ID Nos. 810-826, 830-845, and 885-898)

The following table provides a summary of limits and standards for the emission source(s) describe above:

Regulated Pollutant	Limits/Standards	Applicable Regulation
volatile organic compounds	internal floating roof with seals	15A NCAC 2D .0925
volatile organic compounds	all openings equipped with covers, lids, or seals	15A NCAC 2D .0925
volatile organic compounds	no visible holes, tears, or other openings in the seals	15A NCAC 2D .0925

1. 15A NCAC 2D .0925 PETROLEUM LIQUID STORAGE IN FIXED ROOF TANKS

1. Each fixed roof storage tank (ID Nos. 810 through 826, 830 through 845 and 885 - 898) with a capacity greater than 39,000 gallons containing volatile petroleum liquids whose true vapor pressure is greater than 1.52 psia shall not be operated unless:
 - a. Each storage vessel has been retrofitted with an internal floating roof equipped with a closure seal, or seals, to close the space between the roof edge and tank wall; [15A NCAC 2D .0925(d)(1)]
 - b. All openings, except stub drains are equipped with covers, lids, or seals such that:
 - i. The cover, lid, or seal is in the closed position at all times except when in actual use;
 - ii. Automatic bleeder vents are closed at all times except when the roof is floated off or landed on the roof leg supports;
 - iii. Rim vents, if provided, are set to open when the roof is being floated off the roof leg supports or at the manufacturer's recommended setting; and [15A NCAC 2D .0925(d)(3)]
 - c. The storage vessel is maintained such that there are no visible holes, tears, or other openings in the seal or any seal fabric or materials. [15A NCAC 2D .0925(d)(2)]

Monitoring [15A NCAC 2Q .0508(f)]

2. Inspection and maintenance on these tanks (ID Nos. 810 through 826, 830 through 845 and 885 - 898) shall be performed as follows:
 - a. Routine visual inspections shall be conducted through roof hatches once per month [15A NCAC 2D .0925(d)(4)]; and
 - b. A complete inspection of the floating roof and seal shall be conducted whenever the tank is emptied for maintenance, shell inspection, cleaning, or for other non-operational reasons or whenever excessive vapor leakage is observed. [15A NCAC 2D .0925(d)(5)]

The Permittee shall be deemed in noncompliance with 15A NCAC 2D .0925 if the tanks are not inspected and maintained.

Recordkeeping [15A NCAC 2Q .0508(f) and 15A NCAC 2D .0903]

3. The Permittee shall maintain a log book (written or electronic format) of the following records:
 - a. Reports of the results of the required inspections [15A NCAC 2D .0925(d)(6)];

- b. The average monthly storage temperature, and true vapor pressures of petroleum liquids stored [15A NCAC 2D .0925(d)(6)], and
- c. The throughput quantities and types of petroleum liquids for each storage vessel. [15A NCAC 2D .0925(d)(6)]

Reporting 15A [NCAC 2Q .0508(f)]

- 4. The Permittee shall submit a summary report of the monitoring and recordkeeping activities by January 30 and July 30 of each calendar year for the preceding six-month period. All instances of deviations from the requirements of this permit must be clearly identified.

B. (2D .0927 BULK GASOLINE TERMINALS)

The entire facility is subject to this regulation; however only the vessels storing gasoline are required to meet the applicable standards.

The following table provides a summary of limits and standards for the emission source(s) describe above:

Regulated Pollutant	Limits/Standards	Applicable Regulation
volatile organic compounds	gasoline shall not be discarded in sewers or stored in open containers	15A NCAC 2D .0927
volatile organic compounds	gasoline storage tanks shall be painted white or silver	15A NCAC 2D .0927
volatile organic compounds	external floating roof gasoline tanks with an inside diameter of 100 feet or less shall be equipped with a self-supporting roof	15A NCAC 2D .0927
volatile organic compounds	rim-mounted secondary seals on all external and internal floating roof gasoline tanks	15A NCAC 2D .0927
volatile organic compounds	welded seams where possible, otherwise gaskets on roof and deck fitting for gasoline tanks	15A NCAC 2D .0927
volatile organic compounds	floats in the slotted guide poles with a gasket around the cover of the poles for gasoline tanks	15A NCAC 2D .0927

1. 15A NCAC 2D .0927 BULK GASOLINE TERMINALS

- 1. Except as provided in this permit, gasoline shall not be discarded in sewers or stored in open containers or handled in any way that would result in evaporation. [15A NCAC 2D .0927(d)(1)]
- 2. All tanks used for gasoline storage (ID Nos. 810 through 826, 830 through 845, 897, and 898) are to be painted white or silver at the next scheduled painting or by December 1, 2002, whichever occurs first, excluding any tanks already painted white or silver. [15A NCAC 2D .0927(e)]
- 3. All external floating roof tanks with an inside diameter of 100 feet or less used to store gasoline shall be equipped with a self-supporting roof, such as a geodesic dome, at the next time that the tank is taken out of service or by December 1, 2002, whichever occurs first. [15A NCAC 2D .0927(f)]
- 4. All external and internal floating roof tanks storing gasoline (ID Nos. 810 through 826, 830 through 845, 897, and 898) shall be equipped with rim-mounted secondary seals. [15A NCAC 2D .0927(g)(1)]
- 5. All tanks storing gasoline (ID Nos. 810 through 826, 830 through 845, 897, and 898) shall be equipped with welded seams where possible, otherwise gaskets on roof and deck fittings. [15A NCAC 2D .0927(g)(2)]
- 6. All tanks storing gasoline (ID Nos. 810 through 826, 830 through 845, 897, and 898) shall be equipped with floats in the slotted guide poles with a gasket around the cover of the poles. [15A NCAC 2D .0927(g)(3)]

Monitoring [15A NCAC 2Q .0508(f)]

- 7. To assure compliance, the Permittee shall perform monthly inspections and perform maintenance on the tanks storing gasoline (ID Nos. 810 through 826, 830 through 845, 897, and 898) as recommended by the manufacturer. In addition to the manufacturer's inspection and maintenance recommendations, or if there is no manufacturer's inspection and maintenance recommendations, as a minimum, the inspection and maintenance requirement must include a monthly external inspection of the structural integrity of the

tanks. The Permittee shall be deemed in noncompliance with 15A NCAC 2D .0927 if the tanks are not inspected and maintained.

Recordkeeping [15A NCAC 2Q .0508(f) and 15A NCAC 2D .0903]

8. The Permittee shall maintain a log book (written or electronic) of the results of the required inspections and any maintenance performed on the tanks.

Reporting 15A [NCAC 2Q .0508(f)]

9. The Permittee shall submit a summary report of the monitoring and recordkeeping activities by January 30 and July 30 of each calendar year for the preceding six-month period. All instances of deviations from the requirements of this permit must be clearly identified.

C. All emission sources

The following table provides a summary of limits and standards for the emission source(s) describe above:

Regulated Pollutant	Limits/Standards	Applicable Regulation
odors	odorous emissions must be controlled State-enforceable only	15A NCAC 2D .1806

STATE ONLY REQUIREMENT:

1. 15A NCAC 2D .1806 CONTROL AND PROHIBITION OF ODOROUS EMISSIONS

1. The Permittee shall not cause, allow, or permit any facility to be operated without employing suitable measures for the control of odorous emissions including wet scrubbers, incinerators, or other devices approved by the commission.

E. 2D .1111 MAXIMUM ACHIEVABLE CONTROL TECHNOLOGY (40 CFR 63 Subpart R)

The entire facility is subject to this regulation; however only the equipment in gasoline service is required to meet the applicable standards.

The following table provides a summary of limits and standards for the emission source(s) describe above:

Regulated Pollutant	Limits/Standards	Applicable Regulation
volatile organic compounds	spills must be minimized and cleaned up as quickly as possible	2D .1111
volatile organic compounds	floating roofs shall be floating on the liquid surface at all times, except during initial fill and between being completely emptied and refilled	2D .1111
volatile organic compounds	filling, emptying and refilling shall be done as quickly as possible	2D .1111
volatile organic compounds	each opening in a noncontact floating roof except for automatic bleeder vents and rim space vents is to provide a projection below the surface	2D .1111
volatile organic compounds	For external floating roof tanks only: each opening, except for automatic bleeder vents, rim space vents, roof drains, and leg sleeves, shall be equipped with a gasketed cover, seal, or lid that is to be maintained closed at all times except when in actual use; automatic bleeder vents are to be closed at all times except when the roof is being floated off or is being landed on the roof leg supports; rim vents are to be set to open when the roof is being floated off the roof legs supports or at the manufacturer's recommended setting; automatic bleeder vents and rim space vents are to be gasketed; each emergency roof drain is to be provided with a slotted membrane fabric cover that covers at least 90 percent of the area of the opening;	2D .1111

	a closure device is required between the wall and the roof edge which shall consist of two seals, one above the other; the primary seal shall be either a mechanical shoe seal or a liquid mounted seal; and the seals shall completely cover the annular space between the roof and the wall, except as allowed in §60.113(b)(4)	
volatile organic compounds	For internal floating roof tanks only: a closure device is required between the wall and the roof edge this device shall be either: 1) a foam or liquid-filled seal mounted in contact with the liquid, 2) two seals mounted one above the other so that each forms a continuous closure that completely covers the space between the wall and the roof edge, or 3) a mechanical shoe seal	2D .1111

1. Colonial Pipeline Company is "an existing" affected source. The pump station operations at this facility shall comply with all requirements of 15A NCAC 2D .1111 "Maximum Achievable Control Technology" and 40 CFR Part 63, Subpart R "National Emission Standards for Gasoline Distribution Facilities." [40 CFR 63.420]
2. For the purpose of this permit condition, the definitions and nomenclature contained in 40 CFR 63.421 shall apply. [40 CFR 63.421]
3. The Permittee shall comply with the requirements of 40 CFR 63, Subpart A "General Provisions," according to the applicability of Subpart A to such sources, as identified in Table 1 of 40 CFR 63, Subpart R. [40 CFR 63]
4. **Storage Vessels** The Permittee shall comply with all requirements of 40 CFR 63.423.
5. **Equipment Leaks** The Permittee shall comply with all requirements of 40 CFR 63.424.
6. **Test Methods and procedures** The Permittee shall comply with the requirements of 40 CFR 63.425(d).
7. **Continuous Monitoring** The Permittee shall comply with the monitoring requirements of 40 CFR 63.427(c).
8. **Reporting and Recordkeeping** The Permittee shall comply with the applicable reporting and recordkeeping (written or electronic format) requirements of 40 CFR 63.428. In addition to any other reporting, the Permittee shall submit a summary of the records by January 30 and July 30 of each calendar year. [15A NCAC 2Q .0508(f)]

E. NO APPLICABLE REQUIREMENTS

Twenty five Distillate storage tanks (ID Nos. 850 - 857, 860-864, and 870-883)

Thirteen utility storage tanks (ID Nos. 885 - 896 and 899)

Remediation Systems (groundwater/soil) with a thermal oxidizer (ID No. ES-REM)

The following table provides a summary of limits and standards for the emission source(s) describe above:

Regulated Pollutant	Limits/Standards	Applicable Regulation
none	no applicable requirements	none

SECTION 3 - GENERAL CONDITIONS

This section describes terms and conditions applicable to this Title V facility. All references to the “permit” in this section apply only to Part I of the permit.

A. **General Provisions** [NCGS 143-215 and 15A NCAC 2Q .0508(aa)]

1. Terms not otherwise defined in this permit shall have the meaning assigned to such terms as defined in 15A NCAC 2D and 2Q.
2. The terms, conditions, requirements, limitations, and restrictions set forth in this permit are binding and enforceable pursuant to NCGS 143-215.114A and 143-215.114B, including assessment of civil and/or criminal penalties. Any unauthorized deviation from the conditions of this permit may constitute grounds for revocation and/or enforcement action by the DAQ.
3. This permit is not a waiver of or approval of any other Department permits that may be required for other aspects of the facility which are not addressed in this permit.
4. This permit does not relieve the Permittee from liability for harm or injury to human health or welfare, animal or plant life, or property caused by the construction or operation of this permitted facility, or from penalties therefore, nor does it allow the Permittee to cause pollution in contravention of state laws or rules, unless specifically authorized by an order from the North Carolina Environmental Management Commission.
5. Except as identified as state-only requirements in this permit, all terms and conditions contained herein shall be enforceable by the DAQ, the EPA, and citizens of the United States as defined in the Federal Clean Air Act.
6. Any stationary source of air pollution shall not be operated, maintained, or modified without the appropriate and valid permits issued by the DAQ, unless the source is exempted by rule. The DAQ may issue a permit only after it receives reasonable assurance that the installation will not cause air pollution in violation of any of the applicable requirements. A permitted installation may only be operated, maintained, constructed, expanded, or modified in a manner that is consistent with the terms of this permit.

B. **Permit Availability** [15A NCAC 2Q .0507(k) and .0508(aa)]

The Permittee shall have available at the facility a copy of this permit and shall retain for the duration of the permit term one complete copy of the application and any information submitted in support of the application package. The permit and application shall be made available to an authorized representative of Department of Environment and Natural Resources upon request.

C. **Severability Clause** [15A NCAC 2Q .0508(i)]

In the event of an administrative challenge to a final and binding permit in which a condition is held to be invalid, the provisions in this permit are severable so that all requirements contained in the permit, except those held to be invalid, shall remain valid and must be complied with.

D. **Submissions** [15A NCAC 2Q .0507(c)]

Except as otherwise specified herein, two copies of all documents, reports, test data, monitoring data, notifications, request for renewal, and any other information required by this permit shall be submitted to the appropriate Regional Office. Refer to the Regional Office address on the cover page of this permit. For continuous emissions monitoring systems (CEMS) reports, continuous opacity monitoring systems (COMS) reports, quality assurance (QA)/quality control (QC) reports, acid rain CEM certification reports, and NOx budget CEM certification reports, one copy shall be sent to the appropriate Regional Office and one copy shall be sent to:

Supervisor, Stationary Source Compliance
North Carolina Division of Air Quality
1641 Mail Service Center
Raleigh, NC 27699-1641

E. **Duty to Comply** [15A NCAC 2Q .0508(j)]

The Permittee shall comply with all terms, conditions, requirements, limitations and restrictions set forth in this permit. Noncompliance with any permit condition except conditions identified as state-only requirements constitutes a violation of the Federal Clean Air Act. Noncompliance with any permit condition is grounds for enforcement action, for permit termination, revocation and reissuance, or modification, or for denial of a permit renewal application.

F. **Circumvention** - STATE ENFORCEABLE ONLY

The facility shall be properly operated and maintained at all times in a manner that will effect an overall reduction in air pollution. Unless otherwise specified by this permit, no emission source may be operated without the concurrent operation of its associated air pollution control device(s) and appurtenances.

G. **Permit Modifications**

1. Administrative Permit Amendments [15A NCAC 2Q .0514]
The Permittee shall submit an application for an administrative permit amendment in accordance with 15A NCAC 2Q .0514.
2. Transfer in Ownership or Operation and Application Submittal Content [15A NCAC 2Q .0524 and 2Q .0505]
The Permittee shall submit an application for an ownership change in accordance with 15A NCAC 2Q.0524 and 2Q .0505.
3. Minor Permit Modifications [15A NCAC 2Q .0515]
The Permittee shall submit an application for a minor permit modification in accordance with 15A NCAC 2Q .0515.
4. Significant Permit Modifications [15A NCAC 2Q .0516]
The Permittee shall submit an application for a significant permit modification in accordance with 15A NCAC 2Q .0516.
5. Reopening for Cause [15A NCAC 2Q .0517]
The Permittee shall submit an application for reopening for cause in accordance with 15A NCAC 2Q .0517.

H. **Changes Not Requiring Permit Modifications**

1. Section 502(b)(10) Changes [15A NCAC 2Q .0523(a)]
 - a. "Section 502(b)(10) changes" means changes that contravene an express permit term or condition. Such changes do not include changes that would violate applicable requirements or contravene federally enforceable permit terms and conditions that are monitoring (including test methods), recordkeeping, reporting, or compliance certification requirements.
 - b. The Permittee may make Section 502(b)(10) changes without having the permit revised if:
 - i. the changes are not a modification under Title I of the Federal Clean Air Act;
 - ii. the changes do not cause the allowable emissions under the permit to be exceeded;
 - iii. the Permittee notifies the Director and EPA with written notification at least seven days before the change is made; and
 - iv. the Permittee shall attach the notice to the relevant permit.
 - c. The written notification shall include:
 - i. a description of the change;
 - ii. the date on which the change will occur;
 - iii. any change in emissions; and
 - iv. any permit term or condition that is no longer applicable as a result of the change.
 - d. Section 502(b)(10) changes shall be made in the permit the next time that the permit is revised or renewed, whichever comes first.
2. Off Permit Changes [15A NCAC 2Q .0523(b)]
The Permittee may make changes in the operation or emissions without revising the permit if:
 - a. the change affects only insignificant activities and the activities remain insignificant after the change; or
 - b. the change is not covered under any applicable requirement.
3. Emissions Trading [15A NCAC 2Q .0523(c)]
To the extent that emissions trading is allowed under 15A NCAC 2D, including subsequently adopted maximum achievable control technology standards, emissions trading shall be allowed without permit revision pursuant to 15A NCAC 2Q .0523(c).

I.A. **Reporting Requirements for Excess Emissions and Permit Deviations**

[15A NCAC 2D .0535(f) and 2Q .0508(f)(2)]

"Excess Emissions" - means an emission rate that exceeds any applicable emission limitation or standard allowed by any rule in Sections .0500, .0900, .1200, or .1400 of Subchapter 2D; or by a permit condition; or that exceeds an emission limit established in a permit issued under 15A NCAC 2Q .0700. (*Note: Definitions of excess emissions under 2D .1110 and 2D .1111 shall apply where defined by rule.*)

“Deviations” - for the purposes of this condition, any action or condition not in accordance with the terms and conditions of this permit including those attributable to upset conditions as well as excess emissions as defined above lasting less than four hours.

Excess Emissions

1. If a source is required to report excess emissions under NSPS (15A NCAC 2D .0524), NESHAPS (15A NCAC 2D .1110 or .1111), or the operating permit provides for periodic (e.g., quarterly) reporting of excess emissions, reporting shall be performed as prescribed therein.
2. If the source is not subject to NSPS (15A NCAC 2D .0524), NESHAPS (15A NCAC 2D .1110 or .1111), or these rules do NOT define "excess emissions," the Permittee shall report excess emissions in accordance with 15A NCAC 2D .0535 as follows:
 - a. Pursuant to 15A NCAC 2D .0535, if excess emissions last for more than four hours resulting from a malfunction, a breakdown of process or control equipment, or any other abnormal condition, the owner or operator shall:
 - i. notify the Regional Supervisor or Director of any such occurrence by 9:00 a.m. Eastern Time of the Division's next business day of becoming aware of the occurrence and provide:
 - name and location of the facility;
 - nature and cause of the malfunction or breakdown;
 - time when the malfunction or breakdown is first observed;
 - expected duration; and
 - estimated rate of emissions;
 - ii. notify the Regional Supervisor or Director immediately when corrective measures have been accomplished; and
 - iii. submit to the Regional Supervisor or Director within 15 days a written report as described in 15A NCAC 2D .0535(f)(3).

Permit Deviations

3. Pursuant to 15A NCAC 2Q .0508(f)(2), the Permittee shall report deviations from permit requirements (terms and conditions) as follows:
 - a. Notify the Regional Supervisor or Director of all other deviations from permit requirements not covered under 15A NCAC 2D .0535 on the next business day after becoming aware of the deviation. A written report shall be submitted within two business days to the Regional Supervisor and shall include the probable cause of such deviation and any corrective actions or preventative actions taken. All reports of deviations from permit requirements shall be certified by a responsible official.

I.B. Other Requirements under 15A NCAC 2D .0535

The Permittee shall comply with all other applicable requirements contained in 15A NCAC 2D .0535, including 15A NCAC 2D .0535(c) as follows:

1. Any excess emissions that do not occur during start-up and shut-down shall be considered a violation of the appropriate rule unless the owner or operator of the sources demonstrates to the Director, that the excess emissions are a result of a malfunction. The Director shall consider, along with any other pertinent information, the criteria contained in 15A NCAC 2D .0535(c)(1) through (7).
2. 15A NCAC 2D .0535(g). Excess emissions during start-up and shut-down shall be considered a violation of the appropriate rule if the owner or operator cannot demonstrate that excess emissions are unavoidable.

J. Emergency Provisions [40 CFR ? 70.6 (g)]

The Permittee shall be subject to the following provisions with respect to emergencies:

1. An emergency means any situation arising from sudden and reasonably unforeseeable events beyond the control of the facility, including acts of God, which situation requires immediate corrective action to restore normal operation, and that causes the facility to exceed a technology-based emission limitation under the permit, due to unavoidable increases in emissions attributable to the emergency. An emergency shall not include noncompliance to the extent caused by improperly designed equipment, lack of preventive maintenance, careless or improper operation, or operator error.
2. An emergency constitutes an affirmative defense to an action brought for noncompliance with such technology-based emission limitations if the conditions specified in 3. below are met.

3. The affirmative defense of emergency shall be demonstrated through properly signed contemporaneous operating logs or other relevant evidence that include information as follows:
 - a. an emergency occurred and the Permittee can identify the cause(s) of the emergency;
 - b. the permitted facility was at the time being properly operated;
 - c. during the period of the emergency the Permittee took all reasonable steps to minimize levels of emissions that exceeded the standards or other requirements in the permit; and
 - d. the Permittee submitted notice of the emergency to the DAQ within two working days of the time when emission limitations were exceeded due to the emergency. This notice must contain a description of the emergency, steps taken to mitigate emissions, and corrective actions taken.
4. In any enforcement proceeding, the Permittee seeking to establish the occurrence of an emergency has the burden of proof.
5. This provision is in addition to any emergency or upset provision contained in any applicable requirement specified elsewhere herein.

K. **Permit Renewal** [15A NCAC 2Q .0513(b)]

This permit is issued for a fixed term of five years for facilities subject to Title IV requirements and for a term not to exceed five years in the case of all other facilities. This permit shall expire at the end of its term. Permit expiration terminates the facility's right to operate unless a complete renewal application is submitted at least nine months before the date of permit expiration. If the Permittee or applicant has complied with 15A NCAC 2Q .0512(b)(1), this permit shall not expire until the renewal permit has been issued or denied. All terms and conditions of this permit shall remain in effect until the renewal permit has been issued or denied.

L. **Need to Halt or Reduce Activity Not a Defense** [15A NCAC 2Q.0508(k)]

It shall not be a defense for a Permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit.

M. **Duty to Provide Information (submittal of information)** [15A NCAC 2Q.0508(n)]

1. The Permittee shall furnish to the DAQ, in a timely manner, any reasonable information that the Director may request in **writing** to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit or to determine compliance with the permit.
2. The Permittee shall furnish the DAQ copies of records required to be kept by the permit when such copies are requested by the Director. For information claimed to be confidential, the Permittee may furnish such records directly to the EPA upon request along with a claim of confidentiality.

N. **Duty to Supplement** [15A NCAC 2Q .0507(f)]

The Permittee, upon becoming aware that any relevant facts were omitted or incorrect information was submitted in the permit application, shall promptly submit such supplementary facts or corrected information to the DAQ. The Permittee shall also provide additional information as necessary to address any requirement that becomes applicable to the facility after the date a complete permit application was submitted but prior to the release of the draft permit.

O. **Retention of Records** [15A NCAC 2Q .0508(f)]

The Permittee shall retain records of all required monitoring data and supporting information for a period of at least five years from the date of the monitoring sample, measurement, report, or application. Supporting information includes all calibration and maintenance records and all original strip-chart recordings for continuous monitoring information, and copies of all reports required by the permit. These records shall be maintained in a form suitable and readily available for expeditious inspection and review. Any records required by the conditions of this permit shall be kept on site and made available to DAQ personnel for inspection upon request.

P. **Compliance Certification** [15A NCAC 2Q .0508(t)]

The Permittee shall submit to the DAQ and the EPA (Air and EPCRA Enforcement Branch, EPA, Region 4, 61 Forsyth Street, Atlanta, GA 30303) postmarked on or before **March 1** a compliance certification (for the preceding calendar year) by a responsible official with all federally-enforceable terms and conditions in the permit, including emissions limitations, standards, or work practices. It shall be the responsibility of the current owner to submit a compliance certification for the entire year regardless of who owned the facility during the year. The compliance certification

shall comply with additional requirements as may be specified under Sections 114(a)(3) or 504(b) of the Federal Clean Air Act. The compliance certification shall specify:

1. the identification of each term or condition of the permit that is the basis of the certification;
2. the compliance status (with the terms and conditions of the permit for the period covered by the certification);
3. whether compliance was continuous or intermittent; and
4. the method(s) used for determining the compliance status of the source during the certification period.

Q. **Certification by Responsible Official** [15A NCAC 2Q .0520]

A responsible official shall certify the truth, accuracy, and completeness of any application form, report, or compliance certification required by this permit. All certifications shall state that based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.

R. **Permit Shield for Applicable Requirements** [15A NCAC 2Q .0512]

1. Compliance with the terms and conditions of this permit shall be deemed compliance with applicable requirements, where such applicable requirements are included and specifically identified in the permit as of the date of permit issuance.
2. A permit shield shall not alter or affect:
 - a. the power of the Commission, Secretary of the Department, or Governor under NCGS 143-215.3(a)(12), or EPA under Section 303 of the Federal Clean Air Act;
 - b. the liability of an owner or operator of a facility for any violation of applicable requirements prior to the effective date of the permit or at the time of permit issuance;
 - c. the applicable requirements under Title IV; or
 - d. the ability of the Director or the EPA under Section 114 of the Federal Clean Air Act to obtain information to determine compliance of the facility with its permit.
3. A permit shield does not apply to any change made at a facility that does not require a permit or permit revision made under 15A NCAC 2Q .0523.
4. A permit shield does not extend to minor permit modifications made under 15A NCAC 2Q .0515.

S. **Termination, Modification, and Revocation of the Permit** [15A NCAC 2Q .0519]

The Director may terminate, modify, or revoke and reissue this permit if:

1. the information contained in the application or presented in support thereof is determined to be incorrect;
2. the conditions under which the permit or permit renewal was granted have changed;
3. violations of conditions contained in the permit have occurred;
4. the EPA requests that the permit be revoked under 40 CFR ?? 70.7(g) or 70.8(d); or
5. the Director finds that termination, modification, or revocation and reissuance of the permit is necessary to carry out the purpose of NCGS Chapter 143, Article 21B.

T. **Insignificant Activities** [15A NCAC 2Q .0503]

Because an emission source or activity is insignificant does not mean that the emission source or activity is exempted from any applicable requirement or that the owner or operator of the source is exempted from demonstrating compliance with any applicable requirement. The Permittee shall have available at the facility at all times and made available to an authorized representative upon request, documentation, including calculations, if necessary, to demonstrate that an emission source or activity is insignificant.

U. **Property Rights** [15A NCAC 2Q .0508(m)]

This permit does not convey any property rights in either real or personal property or any exclusive privileges.

V. **Inspection and Entry** [15A NCAC 2Q .0508(r) and NCGS 143-215.3(a)(2)]

1. Upon presentation of credentials and other documents as may be required by law, the Permittee shall allow the DAQ, or an authorized representative, to perform the following:
 - a. enter the Permittee's premises where the permitted facility is located or emissions-related activity is conducted, or where records are kept under the conditions of the permit;
 - b. have access to and copy, at reasonable times, any records that are required to be kept under the conditions of the permit;
 - c. inspect at reasonable times and using reasonable safety practices any source, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under the permit; and

- d. sample or monitor substances or parameters, using reasonable safety practices, for the purpose of assuring compliance with the permit or applicable requirements at reasonable times.
Nothing in this condition shall limit the ability of the EPA to inspect or enter the premises of the Permittee under Section 114 or other provisions of the Federal Clean Air Act.
 2. No person shall refuse entry or access to any authorized representative of the DAQ who requests entry for purposes of inspection, and who presents appropriate credentials, nor shall any person obstruct, hamper, or interfere with any such authorized representative while in the process of carrying out his official duties. Refusal of entry or access may constitute grounds for permit revocation and assessment of civil penalties.
- W. **Annual Fee Payment** [15A NCAC 2Q .0508(o)]
1. The Permittee shall pay all fees in accordance with 15A NCAC 2Q .0200.
 2. Payment of fees may be by check or money order made payable to the N.C. Department of Environment and Natural Resources. Annual permit fee payments shall refer to the permit number.
 3. If, within 30 days after being billed, the Permittee fails to pay an annual fee, the Director may initiate action to terminate the permit under 15A NCAC 2Q .0519.
- X. **Annual Emission Inventory Requirements** [15A NCAC 2Q .0207]
The Permittee shall report by **June 30 of each year** the actual emissions of each air pollutant listed in 15A NCAC 2Q .0207(a) from each emission source within the facility during the previous calendar year. The report shall be in or on such form as may be established by the Director. The accuracy of the report shall be certified by a responsible official of the facility.
- Y. **Confidential Information** [15A NCAC 2Q .0107 and 2Q. 0508(n)]
Whenever the Permittee submits information under a claim of confidentiality pursuant to 15A NCAC 2Q .0107, the Permittee may also submit a copy of all such information and claim directly to the EPA upon request. All requests for confidentiality must be in accordance with 15A NCAC 2Q .0107.
- Z. **Construction and Operation Permits** [15A NCAC 2Q .0100 and .0300]
A construction and operating permit shall be obtained by the Permittee for any proposed new or modified facility or emission source which is not exempted from having a permit prior to the beginning of construction or modification, in accordance with all applicable provisions of 15A NCAC 2Q .0100 and .0300.
- AA. **Standard Application Form and Required Information** [15A NCAC 2Q .0505 and .0507]
The Permittee shall submit applications and required information in accordance with the provisions of 15A NCAC 2Q .0505 and .0507.
- BB. **Financial Responsibility and Compliance History** [15A NCAC 2Q .0507(d)(4)]
The DAQ may require an applicant to submit a statement of financial qualifications and/or a statement of substantial compliance history.
- CC. **Refrigerant Requirements (Stratospheric Ozone and Climate Protection)** [15A NCAC 2Q .0501(e)]
1. If the Permittee has appliances or refrigeration equipment, including air conditioning equipment, which use Class I or II ozone-depleting substances such as chlorofluorocarbons and hydrochlorofluorocarbons listed as refrigerants in 40 CFR Part 82 Subpart A Appendices A and B, the Permittee shall service, repair, and maintain such equipment according to the work practices, personnel certification requirements, and certified recycling and recovery equipment specified in 40 CFR Part 82 Subpart F.
 2. The Permittee shall not knowingly vent or otherwise release any Class I or II substance into the environment during the repair, servicing, maintenance, or disposal of any such device except as provided in 40 CFR Part 82 Subpart F.
 3. The Permittee shall comply with all reporting and recordkeeping requirements of 40 CFR ? 82.166. Reports shall be submitted to the EPA or its designee as required.
- DD. **Prevention of Accidental Releases - Section 112(r)** [15A NCAC 2Q .0508(g)]
If the Permittee is required to develop and register a Risk Management Plan with EPA pursuant to Section 112(r) of the Clean Air Act, then the Permittee is required to register this plan in accordance with 40 CFR Part 68.
- EE. **Prevention of Accidental Releases General Duty Clause - Section 112(r)(1) -**

FEDERALLY-ENFORCEABLE ONLY

Although a risk management plan may not be required, if the Permittee produces, processes, handles, or stores any amount of a listed hazardous substance, the Permittee has a general duty to take such steps as are necessary to prevent the accidental release of such substance and to minimize the consequences of any release.

FF. Title IV Allowances [15A NCAC 2Q .0508(h)]

This permit does not limit the number of Title IV allowances held by the Permittee, but the Permittee may not use allowances as a defense to noncompliance with any other applicable requirement. The Permittee's emissions may not exceed any allowances that the facility lawfully holds under Title IV of the Federal Clean Air Act.

GG. Air Pollution Emergency Episode [15A NCAC 2D .0300]

Should the Director of the DAQ declare an Air Pollution Emergency Episode, the Permittee will be required to operate in accordance with the Permittee's previously approved Emission Reduction Plan or, in the absence of an approved plan, with the appropriate requirements specified in 15A NCAC 2D .0300.

HH. Registration of Air Pollution Sources [15A NCAC 2D .0200]

The Director of the DAQ may require the Permittee to register a source of air pollution. If the Permittee is required to register a source of air pollution, this registration and required information will be in accordance with 15A NCAC 2D .0202(b).

II. Ambient Air Quality Standards [15A NCAC 2D .0501(e)]

In addition to any control or manner of operation necessary to meet emission standards specified in this permit, any source of air pollution shall be operated with such control or in such manner that the source shall not cause the ambient air quality standards in 15A NCAC 2D .0400 to be exceeded at any point beyond the premises on which the source is located. When controls more stringent than named in the applicable emission standards in this permit are required to prevent violation of the ambient air quality standards or are required to create an offset, the permit shall contain a condition requiring these controls.

JJ. General Emissions Testing and Reporting Requirements [15A NCAC 2Q .0508(aa)]

If emissions testing is required by this permit or the DAQ or if the Permittee submits emissions testing to the DAQ in support of a permit application, the Permittee shall perform such testing in accordance with the appropriate EPA reference method(s) as approved by the DAQ and follow the procedures outlined below. The Permittee must request **in writing** and receive approval from the DAQ for an alternate test method or procedure.

1. The Permittee shall submit a completed Protocol Submittal Form to the DAQ Regional Supervisor at least 45 days prior to the scheduled test date. A copy of the Protocol Submittal Form may be obtained from the Regional Supervisor.
2. The Permittee shall notify the Regional Supervisor of the specific test dates at least 15 days prior to testing in order to afford the DAQ the opportunity to have an observer on-site during the sampling program.
3. During all sampling periods, the Permittee shall operate the emission source(s) under maximum normal operating conditions or alternative operating conditions as deemed appropriate by the Regional Supervisor or his delegate.
4. The Permittee shall submit **two** copies of the test report to the DAQ. The test report shall contain at a minimum the following information:
 - a. a certification of the test results by sampling team leader and facility representative;
 - b. a summary of emissions results and text detailing the objectives of the testing program, the applicable state and federal regulations, and conclusions about the testing and compliance status of the emission source(s);
 - c. a detailed description of the tested emission source(s) and sampling location(s) process flow diagrams, engineering drawings, and sampling location schematics should be included as necessary;
 - d. all field, analytical, and calibration data necessary to verify that the testing was performed as specified in the applicable test methods;
 - e. example calculations for at least one test run using equations in the applicable test methods and all test results including intermediate parameter calculations; and
 - f. documentation of facility operating conditions during all testing periods and an explanation relating these operating conditions to maximum normal operation. If necessary, provide historical process data to verify maximum normal operation.

5. The testing requirement(s) shall be considered satisfied only upon written approval of the test results by the DAQ.
6. The DAQ will review emission test results with respect exclusively to the specified testing objectives as proposed by the Permittee and approved by the DAQ. The use of the test results beyond the stated objectives remains subject to the approval of the DAQ.

KK. Reopening for Cause [15A NCAC 2Q .0517]

1. A permit shall be reopened and revised under the following circumstances:
 - a. additional applicable requirements become applicable to a facility with remaining permit term of three or more years;
 - b. additional requirements (including excess emission requirements) become applicable to a source covered by Title IV;
 - c. the Director or EPA finds that the permit contains a material mistake or that inaccurate statements were made in establishing the emissions standards or other terms or conditions of the permit; or
 - d. the Director or EPA determines that the permit must be revised or revoked to assure compliance with the applicable requirements.
2. Any permit reopening shall be completed or a revised permit issued within 18 months after the applicable requirement is promulgated. No reopening is required if the effective date of the requirement is after the expiration of the permit term unless the term of the permit was extended pursuant to 15A NCAC 2Q .0513(c).
3. Except for the state-enforceable only portion of the permit, the procedures set out in 15A NCAC 2Q .0507, .0521, or .0522 shall be followed to reissue the permit. If the State-enforceable only portion of the permit is reopened, the procedures in 15A NCAC 2Q .0300 shall be followed. The proceedings shall affect only those parts of the permit for which cause to reopen exists.
4. The Director shall notify the Permittee at least 60 days in advance of the date that the permit is to be reopened, except in cases of imminent threat to public health or safety the notification period may be less than 60 days.
5. Within 90 days, or 180 days if the EPA extends the response period, after receiving notification from the EPA that a permit needs to be terminated, modified, or revoked and reissued, the Director shall send to the EPA a proposed determination of termination, modification, or revocation and reissuance, as appropriate.

LL. Reporting Requirements for Non-Operating Equipment [15A NCAC 2Q .0508(f)]

The Permittee shall maintain a record of operation for permitted equipment noting whenever the equipment is taken from and placed into operation. During operation the monitoring recordkeeping and reporting requirements as prescribed by the permit shall be implemented within the monitoring period.

ATTACHMENT

List of Acronyms

AOS	Alternate Operating Scenario
BACT	Best Available Control Technology
Btu	British thermal unit
CEM	Continuous Emission Monitor
CFR	Code of Federal Regulations
CAA	Clean Air Act
DAQ	Division of Air Quality
DENR	Department of Environment and Natural Resources
EMC	Environmental Management Commission
EPA	Environmental Protection Agency
FR	Federal Register
GACT	Generally Available Control Technology
HAP	Hazardous Air Pollutant
MACT	Maximum Achievable Control Technology
NCAC	North Carolina Administrative Code
NCGS	North Carolina General Statutes
NESHAPS	National Emission Standards for Hazardous Air Pollutants
NO_x	Nitrogen Oxides
NSPS	New Source Performance Standard
OAH	Office of Administrative Hearings
PM	Particulate Matter
PM₁₀	Particulate Matter with Nominal Aerodynamic Diameter of 10 Micrometers or Less
POS	Primary Operating Scenario
PSD	Prevention of Significant Deterioration
SIC	Standard Industrial Classification
SIP	State Implementation Plan
SO₂	Sulfur Dioxide
tpy	Tons Per Year
VOC	Volatile Organic Compound